

Web Page Access

Access Policies are grouped by Tenancy type:

- **Company**
- **Policy Group**
- **Universal**
- **Appliance/System**

See **Essential Concepts: Record Model - Tenancy and Hierarchy** for more information.

Click the type of Access Policy for a list view of that type.

In the list view, view a specific Access Policy by clicking on the Name of the policy. This will display the Record view for its type, detailed below.

Company Access Policy record

Attribute	About
Company	the associated Company
Policy	the associated Accountability Policy (If there is none, this field will not appear)
Status	this record is Active or Inactive
Canonical ID	the global unique identifier for this Access Policy; used for synchronization
Company Policy Dashboard [link]	jump to the Access Policy Dashboard of the associated Company (above)
Type	the tenancy type of the Access Policy
Hits Today	a counter of how many times web traffic has triggered this policy today on this DrawBridge
Device Group	the associated Device Group: who the Access Policy is applied to
Action Group	the associated Action Group: what the Access Policy is enforcing
Time Group	the associated Time Group: when the Access Policy is effective. Optional: if no Time Group is configured, the Access Policy applies all the time.

Attribute	About
Application Group	the associated Application Group: which application traffic the Access Policy acts upon. Optional: if no Application Group is configured, the Access Policy will apply to the traffic from all applications.

Record menu header buttons: Action items in the upper right corner of the Access Policy record page:

- **Create Access Policy** with the + button
- **Update Company Access Policy** with the pencil Edit button -- make changes to this access policy.
- **Delete Company Access Policy** with the trashcan Delete button -- delete this access policy
- **"Hamburger Menu"**
 - **Record Activity Stream:** view the changelog for this Access Policy record
- **Bookmark** the page with the ribbon Bookmark icon
- **Trigger Sync actions** with items in the the chain-link sync icon menu

Informational Tabs

- **Devices:** List view of the member devices in the associated Device Group
- **Categories:** List view of the Categories contained in the associated Action Group.
 - Add an additional Category to the Action Group with the **Add Category Action Pair** button, or add multiple Categories at once with the **Bulk Assign Categories** button.
 - Edit the Action (Allow/Ignore/Block) of a listed Category by clicking the pencil **Update Record** button on the specific Category line desired.
 - Remove a Category from the Action Group with the trashcan **Delete** button.

Note: removing a Category from an Action Group will return the Action setting for that particular Category to the Action assigned to it in the default DrawBridge configuration (unless another Action Group includes that Category).
 - The **Record Activity Stream** button on each line provides an audit history log of changes to the association of this Category to the Action Group, as well as the assigned Action
- **Times:** List view of the Time Range(s) from the associated Time Group when this Policy is effective. **Note:** this tab only displays if a Time Group is assigned to the Policy.
 - Add a Time Range with the **Add Time Range** button.
 - Edit a Time Range with the pencil **Update Record** button on the time range line in focus
 - Delete a Time Range with the trashcan **Delete Record** button on the time range line in focus
 - The **Record Activity Stream** button on each line provides an audit history log of changes to the association of this Time Range to the Time Group, as well as the specified Times.
- **ACL Actions:** Special access control list actions that are assigned to this access policy.

- Add an ACL action with the **Add ACL Action** button
- Edit an ACL Action with the pencil **Update Record** button on the ACL Action line in focus
- Delete an ACL action with the trashcan **Delete Record** button on the ACL Action line in focus
- **Permissions:** The permission level required to edit the patterns or the category association actions and the ability to enter the policy or exit the policy.
 - See the Permissions and Relationships in Essential Concepts for more information.

Access Policy Group record

Attribute	About
Policy	the associated Accountability Policy (If there is none, this field will not appear)
Status	this record is Active or Inactive
Canonical ID	the global unique identifier for this Access Policy; used for synchronization
Type	the tenancy type of the Access Policy
Hits Today	a counter of how many times web traffic has triggered this policy on this DrawBridge
Device Group	the associated Device Group: who the Access Policy is applied to
Action Group	the associated Action Group: what the Access Policy is enforcing
Time Group	the associated Time Group: when the Access Policy is effective. Optional: if no Time Group is configured, the Access Policy applies all the time.
Application Group	the associated Application Group: which application traffic the Access Policy acts upon. Optional: if no Application Group is configured, the Access Policy will apply to the traffic from all applications.

Record menu header buttons:

- **Create Access Policy** with the + button
- **Update Access Policy Group** with the pencil Edit button -- make changes to this access policy.
- **Delete Access Policy Group** with the trashcan Delete button -- delete this access policy
- **"Hamburger Menu"**
 - **Add Device Group:** assign an additional Device Group to this Access policy Group
 - **Record Activity Stream:** view the changelog for this Access Policy record
- **Bookmark** the page with the ribbon Bookmark icon

- **Trigger Sync actions** with items in the the chain-link sync icon menu

Informational Tabs

- **Device Groups:** List view of the member device groups in the associated Device Group collection.
- **Categories:** List view of the Categories contained in the associated Action Group.
 - Add an additional Category to the Action Group with the `Add Category Action Pair` button, or add multiple Categories at once with the `Bulk Assign Categories` button.
 - Edit the Action (Allow/Ignore/Block) of a listed Category by clicking the pencil `Update Record` button on the specific Category line desired.
 - Remove a Category from the Action Group with the trashcan `Delete` button.
Note: removing a Category from an Action Group will return the Action setting for that particular Category to the Action assigned to it in the default DrawBridge configuration (unless another Action Group includes that Category).
 - The `Record Activity Stream` button on each line provides an audit history log of changes to the association of this Category to the Action Group, as well as the assigned Action
- **Times:** List view of the Time Range(s) from the associated Time Group when this Policy is effective. **Note:** this tab only displays if a Time Group is assigned to the Policy.
 - Add a Time Range with the `Add Time Range` button.
 - Edit a Time Range with the pencil `Update Record` button on the time range line in focus
 - Delete a Time Range with the trashcan `Delete Record` button on the time range line in focus
 - The `Record Activity Stream` button on each line provides an audit history log of changes to the association of this Time Range to the Time Group, as well as the specified Times.
- **ACL Actions:** Special access control list actions that are assigned to this access policy.
 - Add an ACL action with the `Add ACL Action` button
 - Edit an ACL Action with the pencil `Update Record` button on the ACL Action line in focus
 - Delete an ACL action with the trashcan `Delete Record` button on the ACL Action line in focus
- **Permissions:** The permission level required to edit the patterns or the category association actions and the ability to enter the policy or exit the policy.
 - See the Permissions and Relationships in Essential Concepts for more information.

Universal Access Policy Group record

Attribute	About
Status	this record is Active or Inactive
Tenancy	displays tenancy; this record is Universal
Canonical ID	the global unique identifier for this Access Policy; used for synchronization
Type	the tenancy type of the Access Policy
Hits Today	a counter of how many times web traffic has triggered this policy on this DrawBridge
Device Group	the associated Device Group: who the Access Policy is applied to
Action Group	the associated Action Group: what the Access Policy is enforcing
Time Group	the associated Time Group: when the Access Policy is effective. Optional: if no Time Group is configured, the Access Policy applies all the time.
Application Group	the associated Application Group: which application traffic the Access Policy acts upon. Optional: if no Application Group is configured, the Access Policy will apply to the traffic from all applications.

Record menu header buttons:

- **Create Access Policy** with the + button
- **Update Universal Access Policy** with the pencil Edit button -- make changes to this access policy.
- **Delete Universal Access Policy** with the trashcan Delete button -- delete this access policy
- **"Hamburger Menu"**
 - **Add Device Group:** assign an additional Device Group to this Access policy Group
 - **Record Activity Stream:** view the changelog for this Access Policy record
- **Bookmark** the page with the ribbon Bookmark icon
- **Trigger Sync actions** with items in the the chain-link sync icon menu

Informational Tabs

- **Device Groups:** List view of the member device groups in the associated Device Group collection.
- **Categories:** List view of the Categories contained in the associated Action Group.
 - Add an additional Category to the Action Group with the [Add Category Action Pair](#) button, or add multiple Categories at once with the [Bulk Assign Categories](#) button.
 - Edit the Action (Allow/Ignore/Block) of a listed Category by clicking the pencil [Update Record](#) button on the specific Category line desired.
 - Remove a Category from the Action Group with the trashcan [Delete](#) button.

Note: removing a Category from an Action Group will return the Action setting for that particular Category to the Action assigned to it in the default DrawBridge configuration (unless another Action Group includes that Category).

- The **Record Activity Stream** button on each line provides an audit history log of changes to the association of this Category to the Action Group, as well as the assigned Action
- **Apps:** List view of the apps in the associated Application Group **Note:** this tab only displays if an Application Group is assigned to the Policy.
 - Add an Application with the **Add Application** button.
 - Edit a Application with the pencil **Update Record** button on the application line in focus
 - Delete an Application with the trashcan **Delete Record** button on the application line in focus
 - The **Record Activity Stream** button on each line provides an audit history log of changes to the association of this Application to the Application Group, as well as the specified Applications.
- **Times:** List view of the Time Range(s) from the associated Time Group when this Policy is effective. **Note:** this tab only displays if a Time Group is assigned to the Policy.
 - Add a Time Range with the **Add Time Range** button.
 - Edit a Time Range with the pencil **Update Record** button on the time range line in focus
 - Delete a Time Range with the trashcan **Delete Record** button on the time range line in focus
 - The **Record Activity Stream** button on each line provides an audit history log of changes to the association of this Time Range to the Time Group, as well as the specified Times.
- **ACL Actions:** Special access control list actions that are assigned to this access policy.
 - Add an ACL action with the **Add ACL Action** button
 - Edit an ACL Action with the pencil **Update Record** button on the ACL Action line in focus
 - Delete an ACL action with the trashcan **Delete Record** button on the ACL Action line in focus
- **Permissions:** The permission level required to edit the patterns or the category association actions and the ability to enter the policy or exit the policy.
 - See the Permissions and Relationships in Essential Concepts for more information.

System Access Policy record

Attribute	About
Company	the associated Company; this will be the Main Company on the DrawBridge
Status	this record is Active or Inactive

Attribute	About
Tenancy	displays tenancy; this record is Universal
Canonical ID	the global unique identifier for this Access Policy; used for synchronization
Type	the tenancy type of the Access Policy
Hits Today	a counter of how many times web traffic has triggered this policy on this DrawBridge
Device Group	the associated Device Group: who the Access Policy is applied to
Action Group	the associated Action Group: what the Access Policy is enforcing
Time Group	the associated Time Group: when the Access Policy is effective. Optional if no Time Group is configured, the Access Policy applies all the time.
Application Group	the associated Application Group: which application traffic the Access Policy acts upon. Optional: if no Application Group is configured, the Access Policy will apply to the traffic from all applications.

Record menu header buttons:

- **Create Access Policy** with the + button
- **Update System Access Policy** with the pencil Edit button -- make changes to this access policy.
- **Delete System Access Policy** with the trashcan Delete button -- delete this access policy
- **"Hamburger Menu"**
 - **Add Device Group:** assign an additional Device Group to this Access policy Group
 - **Record Activity Stream:** view the changelog for this Access Policy record
- **Bookmark** the page with the ribbon Bookmark icon
- **Trigger Sync actions** with items in the the chain-link sync icon menu

Informational Tabs

- **Device Groups:** List view of the member device groups in the associated Device Group collection.
 - **Categories:** List view of the Categories contained in the associated Action Group.
 - Add an additional Category to the Action Group with the **Add Category Action Pair** button, or add multiple Categories at once with the **Bulk Assign Categories** button.
 - Edit the Action (Allow/Ignore/Block) of a listed Category by clicking the pencil **Update Record** button on the specific Category line desired.
 - Remove a Category from the Action Group with the trashcan **Delete** button.
- Note:** removing a Category from an Action Group will return the Action setting for that particular Category to the Action assigned to it in the default DrawBridge configuration (unless another Action Group includes that Category).

- The **Record Activity Stream** button on each line provides an audit history log of changes to the association of this Category to the Action Group, as well as the assigned Action
- **Apps:** List view of the apps in the associated Application Group **Note:** this tab only displays if an Application Group is assigned to the Policy.
 - Add an Application with the **Add Application** button.
 - Edit a Application with the pencil **Update Record** button on the application line in focus
 - Delete an Application with the trashcan **Delete Record** button on the application line in focus
 - The **Record Activity Stream** button on each line provides an audit history log of changes to the association of this Application to the Application Group, as well as the specified Applications.
- **Times:** List view of the Time Range(s) from the associated Time Group when this Policy is effective. **Note:** this tab only displays if a Time Group is assigned to the Policy.
 - Add a Time Range with the **Add Time Range** button.
 - Edit a Time Range with the pencil **Update Record** button on the time range line in focus
 - Delete a Time Range with the trashcan **Delete Record** button on the time range line in focus
 - The **Record Activity Stream** button on each line provides an audit history log of changes to the association of this Time Range to the Time Group, as well as the specified Times.
- **ACL Actions:** Special access control list actions that are assigned to this access policy.
 - Add an ACL action with the **Add ACL Action** button
 - Edit an ACL Action with the pencil **Update Record** button on the ACL Action line in focus
 - Delete an ACL action with the trashcan **Delete Record** button on the ACL Action line in focus
- **Permissions:** The permission level required to edit the patterns or the category association actions and the ability to enter the policy or exit the policy.
 - See the Permissions and Relationships in Essential Concepts for more information.

Revision #25

Created 15 September 2022 14:16:24 by Marvin M.

Updated 10 November 2022 18:43:56 by Marvin M.